Indiana State Police Clandestine Laboratory Occurrence Report This form complies with the statutory requirement set forth in IC 5-2-15-3.

Date:	4/01/2014	Street:	1806 McCormick Ave.	
Incident #:	14ispc2683	Apt, Lot, Room #:		
County:	Daviess	City:	Washington, In.	
Type of Laboratory Seizure (check one) Sei		Seizure Locati	eizure Location (check all that apply)	
 ☐ Lab Seizure ☐ Chemical Seizure ☐ Equipment Seizure ☐ Dumpsite Seizure 		Residence Outbuilding Vehicle Other: abar	Business adon residence	
Apt., hotel, multi-family dwelling: Shared HVAC: Yes No Unknown				
<u>Items Found: Location</u> (bedroom, kitchen, open air, etc) (check all that apply)				
 ☑ One Pot or Birch Reaction(s): bedroom ☐ Red Phosphorous/Iodine Reaction(s): ☑ Hydrochloric Acid Gas Generator(s): bedroom ☑ Flammable Solvents: bedroom ☑ Water Reactive Metal (Lithium): bedroom 		 ☐ Anhydrous Ammonia: ☐ Corrosive Acid: bedroom ☐ Corrosive Base: ☐ Ammonium Nitrate/Sulfate: bedroom ☐ Other (item and location): bathroom muratic acid 		
Child under age 18 discovered (check appropriate)				
☐ Yes (number present) ☐ No ☐ Children not present but evidence they reside or visit often		Living conditions of home: clean disarray unclean Estimated length of time manufacturing had been occurring: Additional Information:		
Vehicle, Travel Trailer, RV or Watercraft Information:				
Owner: VIN: Year:		Make: Model: Color:		
This report has been faxed* or emailed to the following agencies that serve the location:				
Fire Department: Washington fire depart. st 2 Fax: mailed Health Department County: Daviess Co Health Department of Child Services Hotline: dcshotlinereports@dcs.in.gov Fax: mailed Fax: emailed Fax: emailed Fax: emailed			nailed	
For further information regarding this methamphetamine laboratory, contact Investigating Officer: Charles Pirtle Phone 800-742-7475				

*This form is to be faxed to the Fire Department, Health Department and/or Department of Child Services listed within 24 hours of scene processing.